

*Lerneomyzon elongata* Blainville, 1822

Blainville 1822 J. Phys. Chem. Hist. Nat., 95:439 (xxvi, 9, 9a)

*Lerneomyzon pernettiana* (Pernetty),

Blainville 1822 J. Phys. Chem. Hist. Nat., 95:439

Lerneomyzon pinnarum (Fabricius, 1779)

*(Clavella uncinata)*

Blainville 1822 J. Phys. Chem. Hist. Nat., 95:438

Lerneomyzon pyriformis Blainville, 1822

(Clavellopsis p.)

Blainville 1822 J.Phys.Chem.Hist.Nat., 95:439 (xxvi, 8)

Lerneomyzon triglae Blainville, 1822

(Ora lien triglae) (Chondracanthus t.)

Blainville 1822 Journal de Phys., XCV:441 (xxvi, 12)

Blainville 1823 Dict.d.sc.natur.XXVI, p.125

Desmarest 1825 Consid.gener.sur la clas.de Crust., p.349

Lernaeomyzon unvinata (Muller, 1776)

(*Clavella uncinata*)

Blainville 1822 J. Phys. Chem. Hist. Nat., 95:438

Blainville 1823 Dict. d. sc. natur., XXVI

Wilson 1915 Proc. U. S. Nat. Mus., 47:667

(said: In 1822 Blainville, overlooking or neglecting Oken's work, established (p. 438) a new genus which he called Lernaeomyzon, and of which he also made Muller's Lernaea uncinata the type)