

*Peniculisa bellwoodi* Boxshall, 1989

Boxshall 1989 Syst.Parasit.,13:213(8a-d)

*Peniculisa bicaudata* Shiino, 1956

Shiino 1956 Jap.Jour.Zool., 11(5):599(4-5)

Yamaguti 1963 New York, p.203(224:1)

*Peniculisa furcata* (Kroyer, 1863)

Wilson 1917 Proc.U.S.NatmUs., 53:45

Wilson 1922 Proc.U.S.Nat.Mus., 60:53

L.-S. 1934 Siboga Exped., 29b:28(26)

Yamaguti 1963 New York, p.1203(224:3)

Wilson 1906 Ceylon Pear & Oyster., p.206(v,61-66)

Kirtisinghe 1964 Bull.Fish.Res.~~Ins.~~, 17(1):106

Kensley & Grindley 1973 Ann.S.Afr.Mus.,62(3):108(28a-e)



*Peniculisa furcata*

1. *Peniculus furcatus* Krøyer, 1863

*Peniculisa shiinoi* Izawa, 1965

Izawa 1965 Rep.Fac.Fish,,U.Mie,5(2):365(1-4)

Izawa 1997 Crustaceana 70(8):912(1-2)'

*Peniculus wilsoni* Radhakrishnan, 1977

Radhakrishnan 1977 *Hydrobiologia*, 52(2/3):251(1-3)

Radhakrishnan 1981 *J. Fish Disease*., 4:83(1-6)

Radhakrishnan & Nair 1981 *J. Anim. Morph. Phy.*., 28:73(1-4)

Pillai 1985 *Fauna of India*, p.735(255)

Radhakrishnan & Nair 1983 *Acta Ichthyol.*, 13(2):104