

Dactylopodia n. nom

Thalestridae-Harpacticoida  
Dactylopodiinae

\_\_\_\_\_ Lang 1948, p. 541

— Lang, 1965: 192

DACTYLOPODA, GRANDORI 1913: 385

Dactylopodia, Hicks, 1988: 443

DACTYLOPODIA BREVICORNIS - SEE DACTYLOPUSIA

Dactylopodia crassipes Lang

— Lang, 1965: 196—204, fig. 107—110d —

CALIFORNIA

-- KASK ET AL. 1982: 34, BRITISH COLUMBIA

Dactylopodia decostata Pallares

—Pallares, 1975: 81-83 fig. 6.

DACTYLOPODIA EURYHALINA (MONARD)

- , DRZYCINSKI, 1975: TAB. 1
- , Monchenko, 1967, p. 95-100, figs. 1-5
- DRZYCINSKI 1986: 552 - BALTIC

DACTYLOPODIA FRIGIDA

--, Hicks, 1977a: TAB. 3, 4

= DACTYLOPODIA

Thalestridae - Harpacticoida

Dactylopusia glacialis G. O. Sars, ♀

— — Sars, 1909, p. 25: pl. 5, figs. 1-12.

— — Lang, 1936, p. 32.

— — Lang, 1936, p. 20:

— —, LANG, 1948, p. 550, Pl. 224:1 - POLAR SEAS.

Habitat Northern Oceans.

Dactylopodia glacialis (Sars)

2

-- --, Chappuis, 1957. Puget Sound

— —, Chappuis 1958 p. 411

--, Monchenko, 1967, p. 97

-- SHIH ET AL. 1971: 212, CANADA-ARCTIC


-- KASK ET AL. 1982: 34, BRITISH COLUMBIA

-CF.-, HICKS 1980: 165-, BRITAIN

--, CHISLENKO 1971: 178

-- BODIN 1964: 126-, Pl. II FIG. 12





Dactylopodia glacialis lazurica Chislenko, 1971

-- Chislenko 1971: 174-178, Figs. 15,16, n. ssp. female  
+ male, Posslet Bay, Sea of Japan

Dactylopodia incerta nom prov.

—Serban, 1959: 268-269 *Remane*

Dactylopodia longyearbyensis Mielke

— Mielke, 1974: 16-20, fig. 5D-8.

Dactylopodia micronyx

--, Jakobi, 1959, p. 135

DACTYLOPODIA NEGLECTA (SARS)


— —, LANG, 1948, P. 548, PL. 222:2 - 223:2

— —, Wells, 1964 p. 453

HABITAT: NORWAY, ENGLISH SEAS, IRELAND, FRANKREICH.

Dactylopodia paratisboides Lang

- Lang, 1965: 204-210, fig. 113-115
- Knatz, 1986: passim





Dactylopodia pectenis Pallares 1975

- Pallares, 1975: 79 — 81, fig 5  
-- PALLARES 1975 b: 5, 18-19, TIERRA DEL FUEGO

Dactylopidia pontica Apostolov

-- -- Apostolov, 1968, pp. 395-398, tbl. 1

= DACTYLOPODIA

Thalestridae - Harpacticoida.

Dactylopusia signata Willey.

— — Willey, 1920, p. 35K; f. 50-52, text

— — Lang, 1936, p. 32.

— —, LANG, 1948, p. 552, Pl. 224:4.

Habitat, Arctic Ocean. CANADA, N.W. TERR.



Dactylopodia signata (Willey)

2

-- Grainger & Mohammed 1986: 304-, Arctic

-- SHIH ET AL. 1971: 53, CANADA-ATLANTIC; RIA,  
ARCTIC

DACTYLOPUSIA -, C. B. WILSON 1936: 371, LABRADOR COAST,  
CANADIAN ARCTIC.

DACTYLOPODIA SPINIPES (BRADY )

--, COULL, 1973d: 596 ; TAB. 1

— HICKS, 1988: 442

= DACTYLOPODIA Thalestridae Harpacticoida.

Dactylopusia tisburyi (Claus), ♂, ♀

Dactylopus. Claus, 1863, p. 127: pl. 16, figs. 24-28.

— — Claus, 1866, p. 27: pl. 3, figs. 1-7.

— — Brady, 1868, p. 131.

— *normani* (?), Brady, 1872, p. 441: pl. 20, figs. 13-17.

Habitat. British Seas - Pontus Euxinus -  
Mediterranean; Woods Hole,  
France; Red Sea; Franz Joseph Land.

— *thisboides* Brady, 1880, p. 106: pl. 54, figs. 1-16.

— — Carus, 1885, p. 321.

Dactylopusia Sars, 1905, p. 126: pl. 77: pl. 78, fig. 1.

— — Noë & Brady, 1909, p. 128.

— — T. Scott, 1906, b, p. 317; 1903, p. 21.

— — Sharpe, 1910, p. 419: fig. 12, a-b, text.

Dactylophusia Thompson & Scott, 1903, p. 268.

Dactylo-  
pusia *thisboides* Stephensen, 1913, p. 329.

Dactylopus — Brady & Robertson, 1873, p. 136.

— sia — Pesta, 1921, p. 595: text-fig. L 33.

— us — T. Scott, 1899<sup>c</sup>, p. 104.

— usia — Brian, 1921, p. 80: pl. 2, f. 4.

Dactylopedia ±, Yeatman, 1962 pp. 261-263, fig. 38-40



= DACTYLOPODIA

D. tisboides (2)

- usia — Brady, 1910: p. 536: text-fig. 27.

— us — Brady, 1899, p. 41.

— — Thompson, 1893, p. 201: pl. 22, f. 3, a-c.

— — Gurney, 1927f, p. 503: fig. 132, M.

— usia Monard, 1928, p. 349: fig. 19.

— — Wilson, 1932, p. 207: fig. 138.

— — Willey, 1935, p. 74.

— tisboides, Früchtl, 1925, p. 105: figs.

— tisboides, Lang, 1936, p. 31. + 34

— tisboides Monard 1935a p. 39 Roscoff, France

— tisboides, Nicholls 1944, p. 489, ♀♂, Red Sea

Nicholls 1945a, p. 1, ♀, Western Australia

thisboides, Sewell 1940, p. 222, ♀, Nicobar Ids.

"", Pesta, 1932, p. 51, fig. 53, 54

--, Vervoort, 1964, p. 146, figs. 53-5 - *IFALUK ATOLL*

--, Klie, 1941, p. 24

--, Fruchtl, 1924, p. 105-6, fig. 79

- thisboides; Brian 1928b: 870.

- Pallares, 1968: 59-61, pl. 17, fig. 1-8

= DACTYLOPODIA

Claus, 1863

3

Dactylopus tisboides ~~Giesbrecht, 1882~~

--, Pesta, 1932, p. 49, tisboides

--, Dolzonolskaya, 1970, p. 73, a syn. of Dactylopodia t.

--, Lang, 1944, p. 11, " " , nom. nov.

- tisboides, Vervoort, 1964, p. 141, 146

--, Giesbrecht, 1881, p. 256

--, Giesbrecht, 1882, p. 125-127

—, Kritschagin, 1873: 381

— Scott & Scott, 1901: 349

— A. Scott, 1902: 415

-LA- POR 1962: 14, MEDITERRANEAN COAST, ISRAEL

DACTYLOPODIA TISBOIDES (CLAUS) 4

-- --, NOODT, 1955, P.P. 203.

-- --, LANG, 1948, P. 545, PL. 222:1

-- <sup>Thisboides</sup> --, Chappuis, 1957. Puget Sound

-- --, Kunz, 1963. p. 258. Yugoslavia

HABITAT: ENGLISH WATERS, NORWAY COAST, IRELAND,  
NEW ZEALAND, RUSSIA, MEDITERRANEAN,  
SUEZ, N. AMERICA, WOODS HOLE, MAINE.  
ADRIATIC,

D. tisboides, Marcus & Pór, 1960. Yalta

— —, Wells, 1963 p. 14

— —, Por, 1960, pg. 110

— —, Wells, 1970, p. 260

— —, Hicks, 1977a: 458; TAB. 3, 4

540: DACTYLOPUS T. CLAUS ; DACTYLOPUSIA T. (CLAUS)

— —, YEATMAN, 1962: 261-263; FIG. 38-40

— —, CHAPPOIS, 1958: 411

— —, VERVOORT, 1964: 5, 6, 146 - IFALUK ATOLL

— —, JAKOBI, 1959: 137

— —, LANG, 1944: 11

Dactylopodia thisboides (Claus)

CARD 25

- , Coull, p. 130, 1970, table 1  
--, Dolzonolskaya, 1970, p. ~~72~~ 73, pl. XV, fig. 2,  
syn.: Tisbe armata, Dactylopus thisboides

--, HAMMOND, 1973: 472

--, MORRIS & MOGELBERG, 1973: 33; FIG. 594-C

--, COULL, ET AL., 1979; TAB. 2

--, ROE, 1958: 228

--, ROE, 1960: 279

--, BODIN 1968: 280.

--, Coull et al., 1983: passim, +tbl. 3.

— Por, 1977: 88

-- CECCHERELLI + ROSSIN 1979: 105, 122

-- YEATMAN 1976: 202, 210 - JAMAICA

— Michailova - Neikova, 1968: 216

— Wells, 1967: 192

— Serban, 1959: 267 Romania

— Makkaveva, 1961: 154, tbl. 10-11

-- PALLARES 1975b: 5, 18, TIERRA DEL FUEGO

— Por É Marcus, 1972: 262 Suez canal

Dactylopodia tisboides (Claus)

card # 6

- Por, 1979: 14 Gulf of Elat, Red Sea

- TISBOIDES, CITARELLA 1989: 126, ST. LAWRENCE  
GULF, CANADA

-- BURRELL & ZWERNER 1972: 140, CHESAPEAKE BAY

-- SHIH ET AL. 1971: 53, CANADA- ATLANTIC;  
212, ARCTIC

- CITARELLA 1984: 139, SHÉDIAC BAY, NEW BRUNSWICK,  
CANADA

-- CRANDELL 1967: 38, YAQUINA BAY, OREGON

-- COULL 1968: 59, BERMUDA



Dactylopodia tisboides (Claus)

card 7

-- Kask et al. 1982:34-35, British Columbia

-- Hicks 1980:164-, BRITAIN

-- REID 1990g:202

-- CHISLENKO 1977b:271, FRANZ JOSEF LAND

DACTYLOPUSIA TISBOIDES, GRANDORI 1914:165,  
VENICE LAGOON

DACTYLOPUS -, BRADY 1872:440, BRITISH COAST

-- BODIN 1964:126-, PL. II FIG. 8-11, GULF OF MARSEILLES

DACTYLOPUSIA -, LEGARÉ & MAC LELLAN, MAINE/NEW BRUNSWICK,  
USA/CANADA

DACTYLOPODIA SP. AFF. TISBOIDES (CLAUS)

--- KITO 1977:692-3

= DACTYLOPODIA Thalestridae - Harpacticoida.

Dactylopusia vulgaris Sars, ♀, /

— Sars, 1905, p. 128: pl. 74, fig. 1.

— Norman & Brady, 1909, p. 130.

*Dactylopus stromii* Brady, 1880, vol. 2, p. 111: pl. 55, fig. 1-13.

*D-pusia vulgaris* Sars, 1916, p. 6.

Habitat. English Seas: Woods Hole;  
Heligoland; Polar Islands north of  
Grinnell Land.

*Dapus strömi* Claus, 1863, p. 126: pl. 16, fig. 1-6.

*Dapusia vulgaris* T. Scott, 1906, b, p. 318.

*Cyclops strömi* Baird, 1847.

*Nauplius strömi* Philippi, 1843, p. 69.

*Dactylopus cinctus* Claus, 1866, p. 27: pl. 3, fig. 8-12

— — Klie, 1929, p. 346:

— — Wilson, 1932, p. 209: fig. 139.

— — Lang, 1936, p. 32.

— — Lang, 1936, p. 19-20:

— — Nicholls, 1939 b & 1940, p. 257, fig. 6

— — Monard 1935a, p. 39, Roscoff, France

— —, LANG, 1948, p. 549, pl. 222: 4 - ALGERIA, TUNISIA.

— —, Jespersen, 1940, p. 82. Iceland.

= DACTYLOPODIA

Dactylopusia vulgaris (SARS, G.O.

card 2

---, Pesta, 1932, p. 49-50, fig. 50

---, Klie, 1941, p. 23

— Willey, 1923: 329, 330

— Wiborg, 1944: 63

DACTYLOPODIA -, BOER 1971: 64, TAB. 1; ASSOCIATED WITH

LIMNORIA, FRANCE (ATLANTIC)

DACTYLOPUSIA -, LEGARE' & MACLELLAN 1960: 434,

MAINE / NEW BRUNSWICK, USA / CANADA

Dactylopodia vulgaris var. dissimilis (Brian)

--- Pesta 1959: 124-, off Naples, Italy

DACTYLOPODIA VULGARIS (SARS)

3

-- NOODT, 1952, P. 9-figs <sup>15-</sup> 21. ♀ VAR. HOLSATICA NOODT

-- --, NOODT, 1956, P. P. 50.

-- --, Wells, 1963 p. 14

-- --, Monchenko, 1967, p. 97

-- --, Wells, 1970, p. 260

-- --, Jakobi, 1959, p. 135

-- --, CHISLENKO, 1977: TAB. 1

-- --, ROE, 1958: 228

-- --, ROE, 1960: 279

-- --, ANGER & SCHIEBEL 1976: p. 7.

-- --, Coffin, 1978-79, p. 593

- Hamond, 19—: tab. 2
- Mielke, 1974: 13—, Fig 5A-C
- RIEPER 1985: 357-366, HELGOLAND
- GRAINGER & MOHAMMED 1986: 304
- SHIH ET AL. 1971: 53, CANADA-ATLANTIC; 212,  
ARCTIC
- HICKS 1980: 164-, BRITAIN
- CHISLENKO 1977b: 246, FIG. 5 (7-9), FRANZ JOSEF  
LAND

DACTYLOPUSIA -, LEGARÉ' + MACLELLAN 1960: 434, MAINE /

NEW BRUNSWICK, USA / CANADA

DACTYLOPUSIA -, WILSON, C. B. 1936: 371, LABRADOR COAST,  
CANADIAN ARCTIC



Dactylopodia vulgaris inornata Lang, 1965

--- Lang 1965:192-196, figs. 104-106, n. f., Californian  
Pacific Coast

--- Kask et al. 1982:35, Nanaimo, British Columbia

--- Knatz 1986: passim

Dactylopodia wrangeli Chislenko 1982

---

-- Chislenko 1982: 117-119, figs. 1-2, n. sp. ♀ only,  
Wrangel Island

Dactylopodia sp.? of Bodin, 1964

-- Bodin 1964: 126-, Pl. III, Fig. 14, Gulf of Marseilles

Dactylopodia sp.

-- Bell & McLintock 1982: 232, on echinoderms

-- SHIH ET AL. 1971: 53, CANADA-ATLANTIC

-- HARTZBAND 1971: 12-, ST. THOMAS